



# Mithila Dugdh Utpadak Sahkari Sangh Ltd.

Samastipur Dairy, Industrial Area, PO- Harpur Alowth, District- Samastipur-848103

E-mail: -mmu.purchase@gmail.com Mob : 08407803045

## Enquiry Letter

NO: MMU: PUR: 2251

(UNDER – JICA PROJECT)

Date: 15-06-2024

To,

Dear Sir,

Quotation are invited in sealed envelope to our office on or before **05/07/2024** during office hours for the following requirement:-


S. N.	Description	Specifications	Qty.
1	Tractor Trolley (Dala) Full Set with Hydraulic System [Box Type Trailer]	(Technical details enclosed as Annexure-1)	01 No.

### Other term & conditions are as below:-

1. GST registration certificate is mandatory. Pls. attach with quotation.
2. Your rate should be FOR Samastipur Dairy. All the charges like Taxes, Freight, P&F, Transit insurance etc. should be included in your price.
3. Quotation send by Fax will not be considered. Delivery place will be Samastipur Dairy, Samastipur.
4. Tender should reach to this office on or before **05/07/2024** during office hours. & Opening date **06/07/2024** during office hours (Will extend further if respective date announced public / Gov. Holiday)
5. Envelop should superscribed "**RATE FOR TRACTOR TROLLEY (DALA) [ BOX TYPE TRAILOR ]**"
6. Your rate should be valid for at least 60 days from the closing date or last date of receiving tender.
7. Delivery period will be maximum 20 days from the date of receipt of P.O.
8. Milk union can issue purchase order for supply of entire quantity of material to one party or more than one party.
9. Considering the quality of material milk union will not be bound to purchase the material on L1 basis. Decision of the MD will be final and bound to all party.
10. The Managing Director, Mithila Milk Union, Samastipur will be arbitrator in case of any dispute & for all legal matters & disputes, Samastipur Court will be our jurisdiction.
11. Managing Director Reserve the right to cancel any or all tender at any time.

Thanking you

Yours faithfully

  
15/06/2024  
PURCHASE Co-ordinator

Cc: Notice Board, MMU Samastipur

: I/c System, MMU, Samastipur ---- Please circulate through our website: [www.mithiladairy.com](http://www.mithiladairy.com)

## ANNEXURE-1

### Tractor Trolley (Dala) Full Set with Hydraulic System [Box type Trailer] - Rear side Dumping

#### Functional requirements

Trailer to be used for carrying bales/straws/agricultural products.


#### Design requirements

Sr.No	Description	Specifications
1	Type	Trailer to be rear side tipping using tractor hydraulics
2	Trailer (Dala) Body size	10 feet long, 6 feet wide, 2 feet high as per local RTO norms
3	Single axle	10 feet long, 6 feet wide, 2 feet high as per local RTO norms
4	Main chassis	Made from 200 x 100 x 6mm MS channel of SAIL/TATA steel
5	Secondary chassis	Made from 100 x 50 x 6mm MS channel of SAIL/TATA steel
6	Support channel	Made from 75 x 50 x 6mm MS angle of SAIL/TATA steel
7	Hitch beam	Made from 75 x 50 mm MS angle of SAIL/TATA steel
8	Flooring	Sheet made of 4 mm HR of Tata/SAIL
9	Sidewall	Supporting made of angle section 35 mm x 5 mm thick with channel 75 x 40 mm & in MS sheet over 2.5 mmHR Tata/SAIL make steel with rear side open-able
10	Rear door	To open in drop down & vice-versa.
11	Extra shutters	Additional 3 feet removable shutters in 16 gauge GI sheet above the side doors to be provided.
12	Hub	Heavy duty hubs with 8 holes. Branded wheel bearing (heavy duty ISI mark).
13	Wheel assembly	02 Nos. of wheels- Double plated (One-wheel rim should have two plates) ring type with 08 Nos. of holes.
14	Tyres	9.00 x 16 size MRF, CEAT, GOOD YEAR, APOLO, Bridge stone Makes
15	Loading capacity	Single Axle design with two wheels – 10 MT loading as per RTO rules.
16	Suitable tractor HP	50 HP and above.
17	Hydraulic	Hydraulic cylinder capacity minimum 10 ton, 35 inch long, Radhika, Bosch, Powerjack, Flowtech or equivalent make. Hydraulic cylinder with push type male connector
18		Strong and sturdy MS fabricated design duly braced as per load needs
19		Hydraulic rear tipping, both sides walls & rear wall in open able design using strong hinges design with cylinder piping, coupling, fittings etc. as needed
20		Supports and bracing in MS Angles minimum 5 mm thick
21		Trailer to have appropriate double chassis, frame, Rear side tipping arrangement using hydraulic pressure cylinders, leak proof piping, couplings, fittings, mountings, bracings etc as per need
22		Strong hitch beam, eye, hooks, rods, hooks, jacks, safety locks, pins provided as per need

*Tomcheel*  
15/06/2021



23	All components to be new – no second hand component to be used
24	With top quality corrosion resistant painting in smoke grey double coating after rust removal & red oxide coating.
25	All relevant human safety standards & relevant norms/codes/standards followed.
26	Minimum one year warranty included
27	Complete in all respects; ready to use version
28	RTO passing with one year insurance included



*Bhaskar*  
*18/06/2024*

**I/c Purchase**